

# TREE FROG



## TREE FROG

### Features of Product:

- Ergonomic smooth shape, more likely the face of tree frog.
- Size durable molded on handle for long-lasting.
- Handles proportioned to size.
- Molded on black soft T-grip for incredible comfort.
- Through hardened durability.



T-handle with L-key increases stability.



Durable bi-material prevents splitting with L-key.



Inferior material could cause user in dangerous.

## 006 BI-MATERIAL T-HANDLE HEX KEY SET; BLACK OXIDE

MATERIAL: Chrome Vanadium Steel (CR-V)

ITEM NO.	PCS/SET	DESCRIPTION	INNER/CTN (SETS)	N.W. (KGS)	G.W. (KGS)	CUFT.
006-06M0	8 PCS	2-2.5-3-4-5-6-8-10MM	1/6	9.6	10.7	1.84
006-07A0	8 PCS	5/64-3/32-1/8-5/32-3/16-1/4-5/16-3/8"	1/6	9.5	10.6	1.84

## 006 BI-MATERIAL T-HANDLE BALL POINT HEX KEY SET; BLACK OXIDE

MATERIAL: Chrome Vanadium Steel (CR-V)

ITEM NO.	PCS/SET	DESCRIPTION	INNER/CTN (SETS)	N.W. (KGS)	G.W. (KGS)	CUFT.
006-26M0	8 PCS	2-2.5-3-4-5-6-8-10MM	1/6	9.6	10.7	1.84
006-27A0	8 PCS	5/64-3/32-1/8-5/32-3/16-1/4-5/16-3/8"	1/6	9.5	10.6	1.84



- A blow case package is a handy tool box for storage purpose.
- Key sizes are clearly marked on case.

Color Code:  
Metric: **Orange + Black**  
Inch: **Green + Black**

Package:  
**Blow case + Label**



● **006 BI-MATERIAL T-HANDLE HEX KEY SET; BLACK OXIDE**

MATERIAL: Chrome Vanadium Steel (CR-V)

ITEM NO.	PCS/SET	DESCRIPTION	INNER/CTN (SETS)	N.W. (KGS)	G.W. (KGS)	CUFT.
006-01M0	8 PCS	2-2.5-3-4-5-6-8-10MM	1/12	13.0	16.1	3.04
006-02A0	8 PCS	5/64-3/32-1/8-5/32-3/16-1/4-5/16-3/8"	1/12	12.9	16.0	3.04

● **006 BI-MATERIAL T-HANDLE BALL POINT HEX KEY SET; BLACK OXIDE**

MATERIAL: Chrome Vanadium Steel (CR-V)

ITEM NO.	PCS/SET	DESCRIPTION	INNER/CTN (SETS)	N.W. (KGS)	G.W. (KGS)	CUFT.
006-21M0	8 PCS	2-2.5-3-4-5-6-8-10MM	1/12	13.0	16.1	3.04
006-22A0	8 PCS	5/64-3/32-1/8-5/32-3/16-1/4-5/16-3/8"	1/12	12.9	16.0	3.04




Color Code:  
Metric: **Orange + Black**  
Inch: **Green + Black**

Package:  
**Metal stand (at a slope) + Label**



Color Code:  
Metric: **Orange + Black**  
Inch: **Green + Black**

Package:  
**Metal stand (at a slope) + Label**



047 BI-MATERIAL T-HANDLE HEX KEY; BLACK OXIDE

MATERIAL: Chrome Vanadium Steel (CR-V)

ITEM NO.	SIZE (S)MM	HANDLE (B)MM (A)MM	HEX KEY (C)MM	TOTAL LENGTH (L)MM	g/1PC	INNER/CTN (PCS)	N.W. (KGS)	G.W. (KGS)	CUFT.
047-M020-FB	2.0	94.3 47	103	150	29.8	20/240	7.2	10.0	2.17
047-M025-FB	2.5	94.3 47	103	150	32.3	20/240	7.8	10.6	2.17
047-M030-FB	3.0	94.3 47	103	150	34.8	20/240	8.4	11.2	2.17
047-M040-FB	4.0	117.9 56	134	190	68.3	20/120	8.2	10.4	1.95
047-M050-FB	5.0	117.9 56	134	190	79.8	20/120	9.6	11.8	1.95
047-M060-FB	6.0	141.4 64	166	230	128.6	20/80	10.3	12.3	1.72
047-M080-FB	8.0	141.4 64	166	230	172.6	20/80	13.8	15.8	1.72
047-M100-FB	10.0	141.4 64	166	230	232.1	20/80	18.6	20.6	1.72

ITEM NO.	SIZE (S)	HANDLE (B)MM (A)MM	HEX KEY (C)MM	TOTAL LENGTH (L)MM	g/1PC	INNER/CTN (PCS)	N.W. (KGS)	G.W. (KGS)	CUFT.
047-0198-FB	5/64"	94.3 47	103	150	29.8	20/240	7.2	10.0	2.17
047-0238-FB	3/32"	94.3 47	103	150	30.8	20/240	7.4	10.2	2.17
047-0317-FB	1/8"	94.3 47	103	150	35.8	20/240	8.6	11.4	2.17
047-0397-FB	5/32"	117.9 56	134	190	67.8	20/120	8.2	10.4	1.95
047-0476-FB	3/16"	117.9 56	134	190	75.8	20/120	9.1	11.3	1.95
047-0555-FB	7/32"	117.9 56	134	190	88.8	20/120	10.7	12.9	1.95
047-0635-FB	1/4"	141.4 64	166	230	133.1	20/80	10.7	12.7	1.72
047-0794-FB	5/16"	141.4 64	166	230	169.6	20/80	13.6	15.6	1.72
047-0952-FB	3/8"	141.4 64	166	230	214.6	20/80	17.2	19.2	1.72


Features of Product:

- Chamfer tips for fast insertion and full tool engagement in the screw head.
- T-handle with insert bag package is designed for better protection of L-key from dirt.

Color Code:  
Metric: **Orange + Black**  
Inch: **Green + Black**

Package:  
**Silver pouch w/ a hole**

Insert bag package with a hole for hanging purpose.



047 BI-MATERIAL T-HANDLE HEX KEY; BLACK OXIDE

MATERIAL: Chrome Vanadium Steel (CR-V)

ITEM NO.	SIZE (S)MM	HANDLE (B)MM (A)MM	HEX KEY (C)MM	TOTAL LENGTH (L)MM	g/1PC	INNER/CTN (PCS)	N.W. (KGS)	G.W. (KGS)	CUFT.
047-M020-FB	2.0	94.3 47	103	150	36.0	20/240	8.7	12.1	3.08
047-M025-FB	2.5	94.3 47	103	150	38.5	20/240	9.2	12.6	3.08
047-M030-FB	3.0	94.3 47	103	150	41.0	20/240	9.9	13.3	3.08
047-M040-FB	4.0	117.9 56	134	190	73.5	20/120	8.8	11.1	2.21
047-M050-FB	5.0	117.9 56	134	190	85.0	20/120	10.2	12.5	2.21
047-M060-FB	6.0	141.4 64	166	230	131.0	20/80	10.5	13.1	2.79
047-M080-FB	8.0	141.4 64	166	230	175.0	20/80	14.0	16.6	2.79
047-M100-FB	10.0	141.4 64	166	230	234.5	20/80	18.8	21.4	2.79


ITEM NO.	SIZE (S)	HANDLE (B)MM (A)MM	HEX KEY (C)MM	TOTAL LENGTH (L)MM	g/1PC	INNER/CTN (PCS)	N.W. (KGS)	G.W. (KGS)	CUFT.
047-0198-FB	5/64"	94.3 47	103	150	36.0	20/240	8.6	12.0	3.08
047-0238-FB	3/32"	94.3 47	103	150	37.0	20/240	8.9	12.3	3.08
047-0317-FB	1/8"	94.3 47	103	150	42.0	20/240	10.1	13.5	3.08
047-0397-FB	5/32"	117.9 56	134	190	73.0	20/120	8.8	11.1	2.21
047-0476-FB	3/16"	117.9 56	134	190	81.0	20/120	9.7	12.0	2.21
047-0555-FB	7/32"	117.9 56	134	190	94.0	20/120	11.3	13.6	2.21
047-0635-FB	1/4"	141.4 64	166	230	135.5	20/80	10.8	13.4	2.79
047-0794-FB	5/16"	141.4 64	166	230	172.0	20/80	13.8	16.4	2.79
047-0952-FB	3/8"	141.4 64	166	230	217.0	20/80	17.4	20.0	2.79

Color Code:  
Metric: **Orange + Black**  
Inch: **Green + Black**

Package:  
**Tagged + Label**

360°- twisting tagged allows you to try product before purchasing.





### 048 BI-MATERIAL T-HANDLE BALL POINT HEX KEY; BLACK OXIDE

MATERIAL: Chrome Vanadium Steel (CR-V)

ITEM NO.	SIZE (S)MM	HANDLE (B)MM (A)MM	HEX KEY (C)MM	TOTAL LENGTH (L)MM	g/1PC	INNER/CTN (PCS)	N.W. (KGS)	G.W. (KGS)	CUFT.
048-M020-FB	2.0	94.3 47	103	150	29.8	20/240	7.2	10.0	2.17
048-M025-FB	2.5	94.3 47	103	150	32.3	20/240	7.8	10.6	2.17
048-M030-FB	3.0	94.3 47	103	150	34.8	20/240	8.4	11.2	2.17
048-M040-FB	4.0	117.9 56	134	190	68.3	20/120	8.2	10.4	1.95
048-M050-FB	5.0	117.9 56	134	190	79.8	20/120	9.6	11.8	1.95
048-M060-FB	6.0	141.4 64	166	230	128.6	20/80	10.3	12.3	1.72
048-M080-FB	8.0	141.4 64	166	230	172.6	20/80	13.8	15.8	1.72
048-M100-FB	10.0	141.4 64	166	230	232.1	20/80	18.6	20.6	1.72

ITEM NO.	SIZE (S)	HANDLE (B)MM (A)MM	HEX KEY (C)MM	TOTAL LENGTH (L)MM	g/1PC	INNER/CTN (PCS)	N.W. (KGS)	G.W. (KGS)	CUFT.
048-0198-FB	5/64"	94.3 47	103	150	29.8	20/240	7.2	10.0	2.17
048-0238-FB	3/32"	94.3 47	103	150	30.8	20/240	7.4	10.2	2.17
048-0317-FB	1/8"	94.3 47	103	150	35.8	20/240	8.6	11.4	2.17
048-0397-FB	5/32"	117.9 56	134	190	67.8	20/120	8.2	10.4	1.95
048-0476-FB	3/16"	117.9 56	134	190	75.8	20/120	9.1	11.3	1.95
048-0555-FB	7/32"	117.9 56	134	190	88.8	20/120	10.7	12.9	1.95
048-0635-FB	1/4"	141.4 64	166	230	133.1	20/80	10.7	12.7	1.72
048-0794-FB	5/16"	141.4 64	166	230	169.6	20/80	13.6	15.6	1.72
048-0952-FB	3/8"	141.4 64	166	230	214.6	20/80	17.2	19.2	1.72


#### Features of Product:

- Chamfer tips for fast insertion and full tool engagement in the screw head.
- T-handle with insert bag package is designed for better protection from dirt.

Color Code:  
Metric: **Orange + Black**  
Inch: **Green + Black**

Package:  
**Silver pouch w/ a hole**

Insert bag package with a hole for hanging purpose.



### 048 BI-MATERIAL T-HANDLE BALL POINT HEX KEY; BLACK OXIDE

MATERIAL: Chrome Vanadium Steel (CR-V)

ITEM NO.	SIZE (S)MM	HANDLE (B)MM (A)MM	HEX KEY (C)MM	TOTAL LENGTH (L)MM	g/1PC	INNER/CTN (PCS)	N.W. (KGS)	G.W. (KGS)	CUFT.
048-M020-FB	2.0	94.3 47	103	150	36.0	20/240	8.7	12.1	3.08
048-M025-FB	2.5	94.3 47	103	150	38.5	20/240	9.2	12.6	3.08
048-M030-FB	3.0	94.3 47	103	150	41.0	20/240	9.9	13.3	3.08
048-M040-FB	4.0	117.9 56	134	190	73.5	20/120	8.8	11.1	2.21
048-M050-FB	5.0	117.9 56	134	190	85.0	20/120	10.2	12.5	2.21
048-M060-FB	6.0	141.4 64	166	230	131.0	20/80	10.5	13.1	2.79
048-M080-FB	8.0	141.4 64	166	230	175.0	20/80	14.0	16.6	2.79
048-M100-FB	10.0	141.4 64	166	230	234.5	20/80	18.8	21.4	2.79

ITEM NO.	SIZE (S)	HANDLE (B)MM (A)MM	HEX KEY (C)MM	TOTAL LENGTH (L)MM	g/1PC	INNER/CTN (PCS)	N.W. (KGS)	G.W. (KGS)	CUFT.
048-0198-FB	5/64"	94.3 47	103	150	36.0	20/240	8.6	12.0	3.08
048-0238-FB	3/32"	94.3 47	103	150	37.0	20/240	8.9	12.3	3.08
048-0317-FB	1/8"	94.3 47	103	150	42.0	20/240	10.1	13.5	3.08
048-0397-FB	5/32"	117.9 56	134	190	73.0	20/120	8.8	11.1	2.21
048-0476-FB	3/16"	117.9 56	134	190	81.0	20/120	9.7	12.0	2.21
048-0555-FB	7/32"	117.9 56	134	190	94.0	20/120	11.3	13.6	2.21
048-0635-FB	1/4"	141.4 64	166	230	135.5	20/80	10.8	13.4	2.79
048-0794-FB	5/16"	141.4 64	166	230	172.0	20/80	13.8	16.4	2.79
048-0952-FB	3/8"	141.4 64	166	230	217.0	20/80	17.4	20.0	2.79



Angle entry to 25° for easy access:  
a. work in hard to reach areas.  
b. faster insertion and removal.  
c. work efficiently.

Color Code:  
Metric: **Orange + Black**  
Inch: **Green + Black**

Package:  
**Tagged + Label**

360°- twisting tagged allow you to try product before purchasing.



★ **027 BI-MATERIAL T-HANDLE STAR KEY; BLACK OXIDE**

MATERIAL: Steel of Ni-Cr-Mo-V (SNCMV)

ITEM NO.	SIZE (S)	HANDLE (B)MM (A)MM	HEX KEY (C)MM	TOTAL LENGTH (L)MM	g/1PC	INNER/CTN (PCS)	N.W. (KGS)	G.W. (KGS)	CUFT.
027-0007-KB5	T7	94.3 47	103	150	35.8	20/240	8.6	11.4	2.17
027-0008-KB5	T8	94.3 47	103	150	35.8	20/240	8.6	11.4	2.17
027-0009-KB5	T9	94.3 47	103	150	35.8	20/240	8.6	11.4	2.17
027-0010-KB5	T10	94.3 47	103	150	35.8	20/240	8.6	11.4	2.17
027-0015-KB5	T15	94.3 47	103	150	35.8	20/240	8.6	11.4	2.17
027-0020-KB5	T20	117.9 56	134	190	67.8	20/120	8.2	10.4	1.95
027-0025-KB5	T25	117.9 56	134	190	75.8	20/120	9.1	11.3	1.95
027-0027-KB5	T27	117.9 56	134	190	75.8	20/120	9.1	11.3	1.95
027-0030-KB5	T30	117.9 56	134	190	88.8	20/120	10.7	12.9	1.95
027-0040-KB5	T40	141.4 64	166	230	133.1	20/80	10.7	12.7	1.72
027-0045-KB5	T45	141.4 64	166	230	169.6	20/80	13.6	15.6	1.72
027-0050-KB5	T50	141.4 64	166	230	169.6	20/80	13.6	15.6	1.72

★ **028 BI-MATERIAL T-HANDLE TAMPER STAR KEY; BLACK OXIDE**

MATERIAL: Steel of Ni-Cr-Mo-V (SNCMV)

ITEM NO.	SIZE (S)	HANDLE (B)MM (A)MM	HEX KEY (C)MM	TOTAL LENGTH (L)MM	g/1PC	INNER/CTN (PCS)	N.W. (KGS)	G.W. (KGS)	CUFT.
028-0007-KB4	T7	94.3 47	103	150	35.8	20/240	8.6	11.4	2.17
028-0008-KB4	T8	94.3 47	103	150	35.8	20/240	8.6	11.4	2.17
028-0009-KB4	T9	94.3 47	103	150	35.8	20/240	8.6	11.4	2.17
028-0010-KB4	T10	94.3 47	103	150	35.8	20/240	8.6	11.4	2.17
028-0015-KB4	T15	94.3 47	103	150	35.8	20/240	8.6	11.4	2.17
028-0020-KB4	T20	117.9 56	134	190	67.8	20/120	8.2	10.4	1.95
028-0025-KB4	T25	117.9 56	134	190	75.8	20/120	9.1	11.3	1.95
028-0027-KB4	T27	117.9 56	134	190	75.8	20/120	9.1	11.3	1.95
028-0030-KB4	T30	117.9 56	134	190	88.8	20/120	10.7	12.9	1.95
028-0040-KB4	T40	141.4 64	166	230	133.1	20/80	10.7	12.7	1.72
028-0045-KB4	T45	141.4 64	166	230	169.6	20/80	13.6	15.6	1.72
028-0050-KB4	T50	141.4 64	166	230	169.6	20/80	13.6	15.6	1.72


Color Code:

Star: **Gray + Black**

Tamper Star: **Gray + Black**

Package:

**Silver pouch w/ a hole**



Insert bag package with a hole for hanging purpose

★ **027 BI-MATERIAL T-HANDLE STAR KEY; BLACK OXIDE**

MATERIAL: Steel of Ni-Cr-Mo-V (SNCMV)

ITEM NO.	SIZE (S)	HANDLE (B)MM (A)MM	HEX KEY (C)MM	TOTAL LENGTH (L)MM	g/1PC	INNER/CTN (PCS)	N.W. (KGS)	G.W. (KGS)	CUFT.
027-0007-KB5	T7	94.3 47	103	150	42.0	20/240	10.1	13.5	3.08
027-0008-KB5	T8	94.3 47	103	150	42.0	20/240	10.1	13.5	3.08
027-0009-KB5	T9	94.3 47	103	150	42.0	20/240	10.1	13.5	3.08
027-0010-KB5	T10	94.3 47	103	150	42.0	20/240	10.1	13.5	3.08
027-0015-KB5	T15	94.3 47	103	150	42.0	20/240	10.1	13.5	3.08
027-0020-KB5	T20	117.9 56	134	190	73.0	20/120	8.8	11.1	2.21
027-0025-KB5	T25	117.9 56	134	190	81.0	20/120	9.7	12.0	2.21
027-0027-KB5	T27	117.9 56	134	190	81.0	20/120	9.7	12.0	2.21
027-0030-KB5	T30	117.9 56	134	190	94.0	20/120	11.3	13.6	2.21
027-0040-KB5	T40	141.4 64	166	230	135.5	20/80	10.8	13.4	2.79
027-0045-KB5	T45	141.4 64	166	230	172.0	20/80	13.8	16.4	2.79
027-0050-KB5	T50	141.4 64	166	230	172.0	20/80	13.8	16.4	2.79

★ **028 BI-MATERIAL T-HANDLE TAMPER STAR KEY; BLACK OXIDE**

MATERIAL: Steel of Ni-Cr-Mo-V (SNCMV)

ITEM NO.	SIZE (S)	HANDLE (B)MM (A)MM	HEX KEY (C)MM	TOTAL LENGTH (L)MM	g/1PC	INNER/CTN (PCS)	N.W. (KGS)	G.W. (KGS)	CUFT.
028-0007-KB4	T7	94.3 47	103	150	42.0	20/240	10.1	13.5	3.08
028-0008-KB4	T8	94.3 47	103	150	42.0	20/240	10.1	13.5	3.08
028-0009-KB4	T9	94.3 47	103	150	42.0	20/240	10.1	13.5	3.08
028-0010-KB4	T10	94.3 47	103	150	42.0	20/240	10.1	13.5	3.08
028-0015-KB4	T15	94.3 47	103	150	42.0	20/240	10.1	13.5	3.08
028-0020-KB4	T20	117.9 56	134	190	73.0	20/120	8.8	11.1	2.21
028-0025-KB4	T25	117.9 56	134	190	81.0	20/120	9.7	12.0	2.21
028-0027-KB4	T27	117.9 56	134	190	81.0	20/120	9.7	12.0	2.21
028-0030-KB4	T30	117.9 56	134	190	94.0	20/120	11.3	13.6	2.21
028-0040-KB4	T40	141.4 64	166	230	135.5	20/80	10.8	13.4	2.79
028-0045-KB4	T45	141.4 64	166	230	172.0	20/80	13.8	16.4	2.79
028-0050-KB4	T50	141.4 64	166	230	172.0	20/80	13.8	16.4	2.79


Color Code:

Star: **Gray + Black**

Tamper Star: **Gray + Black**

Package:

**Tagged + Label**



360°- twisting tagged allows you to try product before purchasing.